

Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

Monday 4/21/14 8:00 am 46

TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Date will be set for sample kit delivery and pick up by water department staff. *Pick up Date Thurs. 4/17/14 (Samples can be left outside for pick up)*
2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →" and turn off the water.
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).

CALL Steve at 56 if you have any questions regarding these instructions.

TO BE COMPLETED BY RESIDENT

- * Water was last used:
- * Sample was collected:

Time midnight
Time 5:15 am

Date 4/16/14
Date 4/17/14

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature: _____

Date: 4/17/14

* Leave with bottle

Exemption 6

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER-RULE, SAMPLING PROGRAM

* Sample Address: [REDACTED]

* Sample Location (Kitchen sink or bathroom sink): _____

* Date Sample Taken: 4/17/14

* Time Sample Taken: 5:15 am

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

* [REDACTED]

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: 4/21/14

Time Picked Up: 4:08 pm

Received by (signature): [Signature]

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____


Time: _____

Received by (signature): _____

Date: _____

Time: _____

46
* Leave with bottle



Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

Monday 4 / 21 / 14 8:00 am

47

~~18~~

TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Dates will be set for sample kit delivery and pick up by water department staff. *Pick up Date Thurs. 10:00am (Samples can be left outside for pick up)*
2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →" and turn off the water.
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).

CALL [REDACTED] / STEVE at 631-0456 / 0356 if you have any questions regarding these instructions. *and sample pick up.*

TO BE COMPLETED BY RESIDENT

- * Water was last used:
- * Sample was collected:

Time 7:00pm

Date 4/17/04

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature: _____

Date: _____

* Leave with bottle

47

Exemption 6

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER RULE, SAMPLING PROGRAM

* Sample Address: [REDACTED]

* Sample Location (Kitchen sink or bathroom sink): KITCHEN SINK COLD WATER ONLY

* Date Sample Taken: 4/17/14

* Time Sample Taken: 0700

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

*

[REDACTED]

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: 4/21/14

Time Picked Up: 4:00 pm

Received by (signature): [Signature]

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____


Time: _____

Received by (signature): _____

Date: _____

Time: _____

* Leave with bottle



Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

Monday

4/21/14

8:00 am

43

TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Dates will be set for sample kit delivery and pick up by water department staff. *Pick up Date Thurs. 4-21-14*
2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →" and turn off the water.
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).

CALL [REDACTED] / Steve at 631-0456 / 0356 if you have any questions regarding these instructions. *and sample pick up.*

TO BE COMPLETED BY RESIDENT

- * Water was last used:
- * Sample was collected:

Time 4-21 AM
Time 7:43 PM

Date 4-21-14
Date 4-21-14

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature: [REDACTED]

Date: 4-21-14

* Leave with bottle

43

Exemption 6

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER RULE, SAMPLING PROGRAM

* Sample Address: _____

* Sample Location (Kitchen sink or bathroom sink): _____

* Date Sample Taken: _____

* Time Sample Taken: _____

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

*

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: _____

Time Picked Up: _____

Received by (signature): _____

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____

Time: _____


Received by (signature): _____

Date: _____

Time: _____

43

* Leave with bottle



Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

Monday

4/21/14

8:00 am

33

TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Dates will be set for sample kit delivery and pick up by water department staff. *Pick up Date Thurs. 10AM (Samples can be left outside for pick up)*
2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →" and turn off the water.
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).

CALL ██████████ / Steve at 631-0456 / 0356 if you have any questions regarding these instructions. *and Sample pick up.*

TO BE COMPLETED BY RESIDENT

- * Water was last used:
- * Sample was collected:

Time _____
Time _____

Date _____
Date _____

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature: _____

Date: _____

* Leave with bottle

33

Exemption 6

no paper work left

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER-RULE, SAMPLING PROGRAM

33

* Sample Address: _____

* Sample Location (Kitchen sink or bathroom sink): _____

* Date Sample Taken: _____

* Time Sample Taken: _____

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

*

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: _____

Time Picked Up: _____

Received by (signature): _____

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____

Time: _____


Received by (signature): _____

Date: _____

Time: _____

* Leave with bottle

Exemption 6



Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

~~THURSDAY~~
THURSDAY

4/24/14 8:00 am

TANNY TOWN NY

66

TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Dates will be set for sample kit delivery and pick up by water department staff. *Pick up Date: Thurs. 10:00 AM (Samples can be left outside for pick up)*
 2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
 3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →" and turn off the water.
 4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
 5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
 6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
 7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).
- CALL / Steve at 631-0456/0356 if you have any questions regarding these instructions. *incl sample pick up.*
- TO BE COMPLETED BY RESIDENT

* Water was last used:
* Sample was collected:

Time _____
Time _____

Date _____
Date _____

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature: _____

Date: _____

* Leave with bottle

66

Exemption 6

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER RULE, SAMPLING PROGRAM

* Sample Address: _____

* Sample Location (Kitchen sink or bathroom sink): _____

* Date Sample Taken: _____

* Time Sample Taken: _____

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

*

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: _____

Time Picked Up: _____

Received by (signature): _____

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____

Time: _____


Received by (signature): _____

Date: _____

Time: _____

66

* Leave with bottle



Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

Monday 4/21/14 8:00 am

21

TARRYTOWN Water Supply

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Dates will be set for sample kit delivery and pick up by water department staff. *Pick up Date: Thurs. 10AM (Samples can be left outside for pick up)*
2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →" and turn off the water.
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).

CALL Steve at 631-0456/0356 if you have any questions regarding these instructions. *and sample pick up.*

TO BE COMPLETED BY RESIDENT

- * Water was last used:
- * Sample was collected:

Time 7:32

Date 9/21/14

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature: _____

Date: _____

* Leave with bottle

Exemption 6

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER RULE, SAMPLING PROGRAM

21

* Sample Address: [REDACTED]

* Sample Location (Kitchen sink or bathroom sink): KITCHEN

* Date Sample Taken: 4-21-2014

* Time Sample Taken: 7:52

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

*

[REDACTED]

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: 4/21/14

Time Picked Up: 1:06 pm

Received by (signature): LC

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____


Time: _____

Received by (signature): _____

Date: _____

Time: _____

* Leave with bottle



Warning:

Only use cold water from faucet. Do not allow any hot water to mix in sample bottle, this is important for lab testing.

Pick Up Date

Monday 4 / 21 / 14 8:00 am 31

TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. Prior arrangements will be made to coordinate the sample collection event. Dates will be set for sample kit delivery and pick up by water department staff. *Pick up Date 4/25. (Samples can be left outside for pick up)*
2. A minimum of 6-8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. *Please do not flush Toilets*
3. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap. Fill the sample bottle to the line marked "← →". *No level marker?*
4. Tightly cap the sample bottle and place in the sample kit provided. Please review the sample kit label at this time to ensure that all information contained on the label is correct.
5. IF ANY PLUMBING REPAIRS OR REPLACEMENT HAS BEEN DONE IN THE HOME SINCE THE PREVIOUS SAMPLING EVENT NOTE THIS INFORMATION ON THE LABEL AS PROVIDED.
6. Place the sample kit outside the residence in the location of the kit's delivery point in order that department staff may pick up the sample kit.
7. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and/or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection).

CALL STEVEN at 631-0456/10356 if you have any questions regarding these instructions. and sample pick up.
TO BE COMPLETED BY RESIDENT

- * Water was last used:
- * Sample was collected:

Time 10:00 PM
Time 6:00 AM

Date 4-20-14
Date 4-21-14

I have read the above directions and have taken a tap sample in accordance with these directions.

* Signature [Redacted]

Date: 4-21-14

* Leave with bottle

Exemption 6

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER RULE, SAMPLING PROGRAM

* Sample Address: [REDACTED]

* Sample Location (Kitchen sink or bathroom sink): Bathroom Sink

* Date Sample Taken: 4-21-14

* Time Sample Taken: 6:00 AM

Sample Name: _____

I certify that this sample was collected as indicated above and was a "first draw" sample.

*

[REDACTED]

(signature)

(printed name)

FOR WATER SYSTEM AND LAB USE ONLY

Sample Type: _____

Sample ID: _____

Date Picked Up: 4/21/14

Time Picked Up: 4:34 pm

Received by (signature): SC

Date: _____

Time: _____

Relinquished by (signature): _____

Date: _____

Time: _____


Received by (signature): _____

Date: _____

Time: _____

31

* Leave with bottle



PLEASE NOTE:

ONLY USE COLD WATER FROM FAUCET. DO NOT ALLOW ANY HOT WATER TO MIX IN SAMPLE BOTTLE. THIS IS IMPORTANT FOR LAB TESTING.

LEAVE THESE SHEETS WITH BOTTLE OUTSIDE YOUR DOOR WHERE BOTTLE WAS DELIVERED.

PICK-UP DATE:

8:00 A.M.



VILLAGE OF TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION – PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. A minimum 6 – 8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. Please do not flush toilets during the 6 – 8 hour period.
2. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap.
3. Place the sample bottle outside the residence in the location of the bottle's delivery point in order that department staff may pick up the sample kit.
4. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and /or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection.)

CALL STEVE at 631-0456/0356 if you have any questions regarding these instructions and sample pick up.


TO BE COMPLETED BY RESIDENT:

Water was last used: Time 19.00 Date 28 September 2014

Sample was collected: Time 06.45 Date 29 September 2014

I have read the above directions and have taken a tap sample in accordance with these directions.

Signature



Date: 29 September
2014


64

FIGURE 3-3

CHAIN OF CUSTODY SHEET

LEAD AND COPPER FULE, SAMPLING PROGRAM

Sample Address:



Sample Location (kitchen sink or bathroom sink):

Kitchen sink

Date Sample Taken:

29th September 2014

Time Sample Taken:


06.45

I certify this sample was collected as indicated and was a "first draw" sample.


Signature:



Printed Name:



9:34 am
9/29/14
(signature)



PLEASE NOTE:

ONLY USE COLD WATER FROM FAUCET. DO NOT ALLOW ANY HOT WATER TO MIX IN SAMPLE BOTTLE. THIS IS IMPORTANT FOR LAB TESTING.

LEAVE THESE SHEETS WITH BOTTLE OUTSIDE YOUR DOOR WHERE BOTTLE WAS DELIVERED.

PICK-UP DATE:

8:00 A.M.

VILLAGE OF TARRYTOWN WATER SUPPLY

HOMEOWNER TAP SAMPLE COLLECTION – PROCEDURES

These samples are being collected to determine the contribution of faucet fixtures and household pipes and/or solder to the lead and copper levels in tap water. This sampling effort is required by the Environmental Protection Agency, and is being accomplished through the cooperation of homeowners and residents.

A sample is to be collected after an extended period of stagnant water conditions (i.e., no water use or leakage during this period) within the interior piping. Due to this requirement, either early mornings or evenings upon returning from work are the best times for collecting samples. The collection procedure is described in more detail below.

1. A minimum 6 – 8 hour period during which there is no water use must be achieved prior to sampling. The water department recommends that either early mornings or evenings upon returning home are the best sampling times to ensure that the necessary stagnant water conditions exist. Please do not flush toilets during the 6 – 8 hour period.
2. A kitchen or bathroom cold-water faucet is to be used for sampling. Place the sample bottle (open) below the faucet and gently open the cold water tap.
3. Place the sample bottle outside the residence in the location of the bottle's delivery point in order that department staff may pick up the sample kit.
4. Results from this monitoring effort will be provided to participating customers when reports are generated for the State unless excessive lead and /or copper levels are found. In those cases, immediate notification will be provided (usually ten working days from the time of sample collection.)

CALL STEVE at 631-0456/0356 if you have any questions regarding these instructions and sample pick up.

TO BE COMPLETED BY RESIDENT:

Water was last used: Time 8:00 pm Date 9/28/14

Sample was collected: Time 5:00 AM Date 9/29/14

I have read the above directions and have taken a tap sample in accordance with these directions.

Signature: _____ Date: 9/29/14

~~9/29/14~~
9/29/14
9:30 AM
JC

FIGURE 3-3
CHAIN OF CUSTODY SHEET
LEAD AND COPPER FULE, SAMPLING PROGRAM

Sample Address: _____

Sample Location (kitchen sink or bathroom sink): _____

Date Sample Taken: _____

Time Sample Taken: _____

I certify this sample was collected as indicated and was a "first draw" sample.

Signature: _____

Printed Name: _____

9

35